

Accepted Manuscript

New method of single liquid-phase reactor synthesis of high-impact polypropylene: structure, morphology, and impact properties of copolymers

María Teresa Pastor-García, Inmaculada Suárez, María Teresa Expósito, Baudilio Coto, Rafael A. García-Muñoz

PII: S0014-3057(17)30319-1

DOI: <http://dx.doi.org/10.1016/j.eurpolymj.2017.06.022>

Reference: EPJ 7928

To appear in: *European Polymer Journal*

Received Date: 21 February 2017

Revised Date: 4 May 2017

Accepted Date: 15 June 2017

Please cite this article as: Teresa Pastor-García, M., Suárez, I., Teresa Expósito, M., Coto, B., García-Muñoz, R.A., New method of single liquid-phase reactor synthesis of high-impact polypropylene: structure, morphology, and impact properties of copolymers, *European Polymer Journal* (2017), doi: <http://dx.doi.org/10.1016/j.eurpolymj.2017.06.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



New method of single liquid-phase reactor
synthesis of high-impact polypropylene:
structure, morphology, and impact properties of
copolymers

*María Teresa Pastor-García, Inmaculada Suárez, María Teresa Expósito, Baudilio Coto, Rafael A. García-Muñoz**

ESCET, Universidad Rey Juan Carlos, 28933 Móstoles-Madrid, Spain.

*To whom correspondence should be addressed

Phone: 34 91 4887086

Fax: 34 91 4887068

E-mail: rafael.garcia@urjc.es

Download English Version:

<https://daneshyari.com/en/article/5159505>

Download Persian Version:

<https://daneshyari.com/article/5159505>

[Daneshyari.com](https://daneshyari.com)