Accepted Manuscript

Fully biobased epoxy resin systems composed of a vanillin-derived epoxy resin and renewable phenolic hardeners

Mitsuhiro Shibata, Tomoyuki Ohkita

PII: S0014-3057(17)30515-3

DOI: http://dx.doi.org/10.1016/j.eurpolymj.2017.05.007

Reference: EPJ 7863

To appear in: European Polymer Journal

Received Date: 25 March 2017 Revised Date: 28 April 2017 Accepted Date: 7 May 2017



Please cite this article as: Shibata, M., Ohkita, T., Fully biobased epoxy resin systems composed of a vanillin-derived epoxy resin and renewable phenolic hardeners, *European Polymer Journal* (2017), doi: http://dx.doi.org/10.1016/j.eurpolymj.2017.05.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Fully biobased epoxy resin systems composed of a vanillin-derived epoxy resin and renewable phenolic hardeners

Mitsuhiro Shibata*, Tomoyuki Ohkita

Department of Life and Environmental Sciences, Faculty of Engineering,

Chiba Institute of Technology, 2-17-1, Tsudanuma, Narashino, Chiba 275-0016, Japan

*Corresponding author. Tel.:+81 47 478 0423; fax:+81 47 478 0439.

E-mail address: mitsuhiro.shibata@p.chibakoudai.jp (M. Shibata)

URL: http://www.le.it-chiba.ac.jp/env-org/index.html (M. Shibata)

Download English Version:

https://daneshyari.com/en/article/5159664

Download Persian Version:

https://daneshyari.com/article/5159664

Daneshyari.com