


Accepted Manuscript

Efficient in situ synthetic routes of polyaniline/ poly(vinyl alcohol)/TiO₂ nanocomposites using gamma irradiation

T.A. Afify, O.A. Ghazy, H.H. Saleh, Z.I. Ali



PII: S0022-2860(17)31293-0

DOI: [10.1016/j.molstruc.2017.09.094](https://doi.org/10.1016/j.molstruc.2017.09.094)

Reference: MOLSTR 24343

To appear in: *Journal of Molecular Structure*

Received Date: 4 July 2017


Revised Date: 24 September 2017

Accepted Date: 25 September 2017



Please cite this article as: T.A. Afify, O.A. Ghazy, H.H. Saleh, Z.I. Ali, Efficient in situ synthetic routes of polyaniline/ poly(vinyl alcohol)/TiO₂ nanocomposites using gamma irradiation, *Journal of Molecular Structure* (2017), doi: 10.1016/j.molstruc.2017.09.094.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Conducting polymers have potential applications in sensors and actuators as well as in electronic, electroluminescence, electrochromic, and photo electrochemical devices.



Efficient in situ synthetic routes of polyaniline/ poly(vinyl alcohol)/TiO₂ nanocomposites using gamma irradiation



TA Afify, OA.
Ghazy, HH. Saleh,
ZI Ali
*National Center for
Radiation Research
and Technology
(NCRRT)*

Download English Version:

<https://daneshyari.com/en/article/5159803>

Download Persian Version:

<https://daneshyari.com/article/5159803>

[Daneshyari.com](https://daneshyari.com)