


Accepted Manuscript

A new uranyl triphosphonate constructed from semi-rigid triphosphonate ligand: New method for the construction of higher dimensional uranyl phosphonates

Xiaomin Hou, Si-Fu Tang



PII: S0022-2860(17)30744-5

DOI: [10.1016/j.molstruc.2017.05.125](https://doi.org/10.1016/j.molstruc.2017.05.125)

Reference: MOLSTR 23866

To appear in: *Journal of Molecular Structure*


Received Date: 15 April 2017

Revised Date: 24 May 2017

Accepted Date: 27 May 2017

Please cite this article as: X. Hou, S.-F. Tang, A new uranyl triphosphonate constructed from semi-rigid triphosphonate ligand: New method for the construction of higher dimensional uranyl phosphonates, *Journal of Molecular Structure* (2017), doi: 10.1016/j.molstruc.2017.05.125.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A new three-dimensional uranyl triphosphonate has been synthesized, suggesting that semi-rigid tritopic triphosphonate ligands can be used to construct higher dimensional uranyl phosphonates.

Download English Version:

<https://daneshyari.com/en/article/5160232>

Download Persian Version:

<https://daneshyari.com/article/5160232>

[Daneshyari.com](https://daneshyari.com)