

# Accepted Manuscript

Mononuclear Ni(II) complexes of Schiff base ligands formed from unsymmetrical tripodal amines of differing arm lengths: Spectral, X-ray crystal structural, antimicrobial and DNA cleavage activity

Hassan Keypour, Maryam Shayesteh, Majid Rezaeivala, Sébastien Dhers, Fatma Öztürk Küp, Mithat Güllü, Seikweng Ng

PII: S0022-2860(17)30991-2

DOI: [10.1016/j.molstruc.2017.07.058](https://doi.org/10.1016/j.molstruc.2017.07.058)

Reference: MOLSTR 24085

To appear in: *Journal of Molecular Structure*


Received Date: 17 May 2017

Revised Date: 2 July 2017


Accepted Date: 20 July 2017

Please cite this article as: H. Keypour, M. Shayesteh, M. Rezaeivala, Sé. Dhers, Fatma.Öü. Küp, M. Güllü, S. Ng, Mononuclear Ni(II) complexes of Schiff base ligands formed from unsymmetrical tripodal amines of differing arm lengths: Spectral, X-ray crystal structural, antimicrobial and DNA cleavage activity, *Journal of Molecular Structure* (2017), doi: 10.1016/j.molstruc.2017.07.058.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Graphical Abstract pictogram



Download English Version:

<https://daneshyari.com/en/article/5160671>

Download Persian Version:

<https://daneshyari.com/article/5160671>

[Daneshyari.com](https://daneshyari.com)