Accepted Manuscript

Synthesis and structural characterization by NMR and X-ray of new Morita-Baylis-Hillman adducts derived from 7-Chloroguinoline

Guilherme da Silva Caleffi, João Paulo Gomes de Oliveira, Everton da Paz Silva, Tayná Rodrigues Olegário, Rhuan Karlos Santos Mendes, Cláudio Gabriel Lima-Junior, Fábio Pedrosa Lins Silva, Felipe Terra Martins, Mário Luiz Araújo de Almeida Vasconcellos

PII: S0022-2860(16)31312-6

DOI: 10.1016/j.molstruc.2016.12.022

Reference: MOLSTR 23220


To appear in: Journal of Molecular Structure

Received Date: 5 October 2016

Revised Date: 5 December 2016 Accepted Date: 6 December 2016

Please cite this article as: G. da Silva Caleffi, J.P. Gomes de Oliveira, E. da Paz Silva, T.R. Olegário, R.K. Santos Mendes, C.G. Lima-Junior, F.P. Lins Silva, F.T. Martins, M.L.A.d.A. Vasconcellos, Synthesis and structural characterization by NMR and X-ray of new Morita-Baylis-Hillman adducts derived from 7-Chloroquinoline, *Journal of Molecular Structure* (2017), doi: 10.1016/j.molstruc.2016.12.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphical abstract

Pharmacophore A —— Spacer —— Pharmacophore B



 $R_1=NO_2, R_2=H, R_3=H; R_1=H R_2=NO_2, R_3=H$ and $R_1=H, R_2=H, R_3=NO_2$

Download English Version:

https://daneshyari.com/en/article/5160916

Download Persian Version:

https://daneshyari.com/article/5160916

Daneshyari.com