Organic Geochemistry 76 (2014) e1–e37

Contents lists available at ScienceDirect

Organic Geochemistry

journal homepage: www.elsevier.com/locate/orggeochem

Geochemistry Articles – August 2014

Analytical Chemistry

Unique ion filter – A data reduction tool for GC–MS data preprocessing prior to chemometric analysis
Adutwum, L.A., Harynuk, J.J., 2014. Analytical Chemistry 86, 7726–7733.
http://dx.doi.org/10.1021/ac501660a

Open Probe fast GC–MS—Real time analysis with separation
Amirav, A., Keshet, U., Alon, T., Fialkov, A.B., 2014. International Journal of Mass Spectrometry 371, 47–53.
http://www.sciencedirect.com/science/article/pii/S138738061400325X

An added dimension: GC atmospheric pressure chemical ionization FTICR MS and the Athabasca oil sands
Barrow, M.P., Peru, K.M., Headley, J.V., 2014. Analytical Chemistry 86, 8281–8288.
http://dx.doi.org/10.1021/ac501710y

Likelihood of total resolution in liquid chromatography: Evaluation of one-dimensional, comprehensive two-dimensional, and selective comprehensive two-dimensional liquid chromatography
Davis, J.M., Stoll, D.R., 2014. Journal of Chromatography A 1360, 128–142.
http://www.sciencedirect.com/science/article/pii/S0021967314011716

High throughput screening of enzyme activity with mass spectrometry imaging
de Rond, T., Danielewicz, M., Northen, T., 2015. Current Opinion in Biotechnology 31, 1–9.
http://www.sciencedirect.com/science/article/pii/S0958166914001360

Assessment of ionic liquid stationary phases for the GC analysis of fatty acid methyl esters
Dettmer, K., 2014. Analytical and Bioanalytical Chemistry 406, 4931–4939.
http://dx.doi.org/10.1007/s00216-014-7919-0

A new ion mobility–linear ion trap instrument for complex mixture analysis
Donohoe, G.C., Maleki, H., Arndt, J.R., Khakinejad, M., Yi, J., McBride, C., Nurkiewicz, T.R., Valentine, S.J., 2014. Analytical Chemistry 86, 8121–8128.
http://dx.doi.org/10.1021/ac501527y

Emerging mass spectrometry techniques for the direct analysis of microbial colonies
Fang, J., Dorrestein, P.C., 2014. Current Opinion in Microbiology 19, 120–129.
http://www.sciencedirect.com/science/article/pii/S1369527414000848

Pixel-based analysis of comprehensive two-dimensional gas chromatograms (color plots) of petroleum: A tutorial
Furbo, S., Hansen, A.B., Skov, T., Christensen, J.H., 2014. Analytical Chemistry 86, 7160–7170.
http://dx.doi.org/10.1021/ac403650d

Scalable NMR spectroscopy with semiconductor chips
Ha, D., Paulsen, J., Sun, N., Song, Y.-Q., Ham, D., 2014. Proceedings of the National Academy of Sciences 111, 11955–11960.
http://www.pnas.org/content/111/33/11955.abstract

Rapid discrimination of bacteria by paper spray mass spectrometry
Hamid, A.M., Jarmusch, A.K., Pirro, V., Pincus, D.H., Clay, B.G., Gervasi, G., Cooks, R.G., 2014. Analytical Chemistry 86, 7500–7507.
http://dx.doi.org/10.1021/ac501254b

http://dx.doi.org/10.1016/j.orggeochem.2014.08.008

Electron flood gun damage effects in 3D secondary ion mass spectrometry imaging of organics
Havelund, R., Seah, M.P., Shard, A.G., Gilmore, I.S., 2014. Journal of The American Society for Mass Spectrometry 25, 1565–1571.
http://dx.doi.org/10.1007/s13361-014-0929-5

In vivo live cell imaging for the quantitative monitoring of lipids by using Raman microspectroscopy
Hosokawa, M., Ando, M., Mukai, S., Osada, K., Yoshino, T., Hamaguchi, H.-o., Tanaka, T., 2014. Analytical Chemistry 86, 8224–8230.
http://dx.doi.org/10.1021/ac501591d

Visualizing life with ambient mass spectrometry
Hsu, C.-C., Dorrestein, P.C., 2015. Current Opinion in Biotechnology 31, 24–34.
http://www.sciencedirect.com/science/article/pii/S0958166914001335

Analysis of biologically-active, endogenous carboxylic acids based on chromatography–mass spectrometry
Kloos, D., Lingeman, H., Mayboroda, O.A., Deelder, A.M., Niessen, W.M.A., Giera, M., 2014. TrAC Trends in Analytical Chemistry 61, 17–28.
http://www.sciencedirect.com/science/article/pii/S0165993614001320

The advantage of mixed-mode separation in the first dimension of comprehensive two-dimensional liquid-chromatography
Li, D., Dück, R., Schmitz, O.J., 2014. Journal of Chromatography A 1358, 128–135.
http://www.sciencedirect.com/science/article/pii/S0021967314010310

Parallel dual secondary column-dual detection: A further way of enhancing the informative potential of two-dimensional comprehensive gas chromatography
Nicolotti, L., Cordero, C., Bressanello, D., Cagliero, C., Liberto, E., Magagna, F., Rubiolo, P., Sgorbini, B., Bicchi, C., 2014. Journal of Chromatography A 1360, 264–274.
http://www.sciencedirect.com/science/article/pii/S0021967314011868

Assessment of robustness on analysis using headspace solid-phase microextraction and comprehensive two-dimensional gas chromatography through experimental designs
Oliveira, L.F., Braga, S.C.G.N., Filgueiras, P.R., Augusto, F., Poppi, R.J., 2014. Talanta 129, 303–308.
http://www.sciencedirect.com/science/article/pii/S0039914014004226

Characterization of naphthenic acids by gas chromatography-Fourier transform ion cyclotron resonance mass spectrometry
Ortiz, X., Jobst, K.J., Reiner, E.J., Backus, S.M., Peru, K.M., McMartin, D.W., O'Sullivan, G., Taguchi, V.Y., Headley, J.V., 2014. Analytical Chemistry 86, 7666–7673.
http://dx.doi.org/10.1021/ac501549p

Data processing in Fourier transform ion cyclotron resonance mass spectrometry
Qi, Y., O'Connor, P.B., 2014. Mass Spectrometry Reviews 33, 333–352.
http://dx.doi.org/10.1002/mas.21414

A review of laser-induced breakdown spectroscopy for analysis of geological materials
Qiao, S., Ding, Y., Tian, D., Yao, L., Yang, G., 2014. Applied Spectroscopy Reviews 50, 1–26.
http://dx.doi.org/10.1080/05704928.2014.911746

A method detection limit for the analysis of natural organic matter via Fourier transform ion cyclotron resonance mass spectrometry
Riedel, T., Dittmar, T., 2014. Analytical Chemistry 86, 8376–8382.
http://dx.doi.org/10.1021/ac501946m

Identification of carotenoids using mass spectrometry
Rivera, S.M., Christou, P., Canela-Garayoa, R., 2014. Mass Spectrometry Reviews 33, 353–372.
http://dx.doi.org/10.1002/mas.21390

Electron ionization mass spectrometry fragmentation pathways of trimethylsilyl derivatives of isomeric allylic alcohols derived from HBI alkene oxidation
Rontani, J.-F., Belt, S.T., Brown, T.A., Aubert, C., 2014. Rapid Communications in Mass Spectrometry 28, 1937–1947.
http://dx.doi.org/10.1002/rcm.6974

Solid-phase extraction fractionation to extend the characterization of naphthenic acids in crude oil by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry
Rowland, S.M., Robbins, W.K., Corilo, Y.E., Marshall, A.G., Rodgers, R.P., 2014. Energy & Fuels 28, 5043–5048.
http://dx.doi.org/10.1021/ef5015023

Download English Version:

https://daneshyari.com/en/article/5162260

Download Persian Version:

https://daneshyari.com/article/5162260

Daneshyari.com