


Accepted Manuscript

Dynamical modeling and experimental aspects of multi-responsive hydroxy-functional methacrylate-based gels with tunable swelling induced by multivalent ions

Nermin Orakdogan, Berran Sanay



PII: S0032-3861(17)30924-2

DOI: [10.1016/j.polymer.2017.09.051](https://doi.org/10.1016/j.polymer.2017.09.051)

Reference: JPOL 20020

To appear in: *Polymer*

Received Date: 1 June 2017

Revised Date: 7 September 2017

Accepted Date: 22 September 2017

Please cite this article as: Orakdogan N, Sanay B, Dynamical modeling and experimental aspects of multi-responsive hydroxy-functional methacrylate-based gels with tunable swelling induced by multivalent ions, *Polymer* (2017), doi: 10.1016/j.polymer.2017.09.051.


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dynamical modeling and experimental aspects of multi-responsive hydroxy-functional methacrylate-based gels with tunable swelling induced by multivalent ions

Nermin ORAKDOGEN* and Berran SANAY

Istanbul Technical University, Department of Chemistry, Soft Materials Research Laboratory, 34469, Maslak, Istanbul, Turkey, Tel: +90-212-285-3305, Fax: +90-212-285-6386
e-mail: orakdogen@itu.edu.tr

TOC/Abstract Graphic



TOC/Abstract Graphic Synopsis

The prepared hydroxy-functional methacrylate-based gels exhibit multiresponsive property due to their tunable chemical and three-dimensional network structure.

Download English Version:

<https://daneshyari.com/en/article/5177666>

Download Persian Version:

<https://daneshyari.com/article/5177666>

[Daneshyari.com](https://daneshyari.com)