

Accepted Manuscript

Co and terpolymer reactivity ratios of chemically amplified resists

Narahari S. Pujari, Mingxing Wang, Kenneth E. Gonsalves



PII: S0032-3861(17)30468-8

DOI: [10.1016/j.polymer.2017.05.001](https://doi.org/10.1016/j.polymer.2017.05.001)

Reference: JPOL 19661

To appear in: *Polymer*

Received Date: 6 March 2017

Revised Date: 26 April 2017

Accepted Date: 1 May 2017

Please cite this article as: Pujari NS, Wang M, Gonsalves KE, Co and terpolymer reactivity ratios of chemically amplified resists, *Polymer* (2017), doi: 10.1016/j.polymer.2017.05.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Co and Terpolymer Reactivity Ratios of Chemically Amplified Resists**Narahari S Pujari^{1*}, Mingxing Wang², and Kenneth E. Gonsalves³**

1: Alpha India Research Center, Alpha Assembly Solutions


Vaishnavi Bhavan, 89/1 Industrial Suburb 2nd Stage Yeshvanthpur Bangalore 560022 (KA) India**Email:** Narahari.Pujari@alphaassembly.com; Ph. No.: +91 80 4244 312.

2: Carolinas Medical Center. 1000 Blythe Blvd. Charlotte, North Carolina USA – 28203

3. School of Basic Sciences, Indian Institute of Technology Mandi, Himachal Pradesh – 175005, India

GRAPHICAL ABSTRACT

Quasi alternating composition and azeotrope observed in poly(4-hydroxystyrene (HOST)-co-2-ethyl-2-adamantyl methacrylate (EAMA)) copolymerization system.



Download English Version:

<https://daneshyari.com/en/article/5178056>

Download Persian Version:

<https://daneshyari.com/article/5178056>

[Daneshyari.com](https://daneshyari.com)