


Accepted Manuscript

Effect of miscible PMMA chain length on disordered morphologies in epoxy/PMMA-*b*-PnBA-*b*-PMMA blends by *in situ* simultaneous SAXS/DSC

M. Asada, S. Oshita, Y. Morishita, Y. Nakashima, Y. Kunimitsu, H. Kishi



PII: S0032-3861(16)30936-3

DOI: [10.1016/j.polymer.2016.10.025](https://doi.org/10.1016/j.polymer.2016.10.025)

Reference: JPOL 19125

To appear in: *Polymer*


Received Date: 6 July 2016

Revised Date: 14 September 2016

Accepted Date: 11 October 2016

Please cite this article as: Asada M, Oshita S, Morishita Y, Nakashima Y, Kunimitsu Y, Kishi H, Effect of miscible PMMA chain length on disordered morphologies in epoxy/PMMA-*b*-PnBA-*b*-PMMA blends by *in situ* simultaneous SAXS/DSC, *Polymer* (2016), doi: 10.1016/j.polymer.2016.10.025.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/5178858>

Download Persian Version:

<https://daneshyari.com/article/5178858>

[Daneshyari.com](https://daneshyari.com)