Accepted Manuscript

Chain-growth condensation polymerization of 5-aminoisophthalic acid triethylene glycol ester to afford well-defined, water-soluble, thermoresponsive hyperbranched polyamides

Yoshihiro Ohta, Kento Sakurai, Jun Matsuda, Tsutomu Yokozawa

PII: S0032-3861(16)30745-5

DOI: 10.1016/j.polymer.2016.08.079


Reference: JPOL 18976

To appear in: Polymer

Received Date: 19 June 2016
Revised Date: 22 August 2016
Accepted Date: 24 August 2016

Please cite this article as: Ohta Y, Sakurai K, Matsuda J, Yokozawa T, Chain-growth condensation polymerization of 5-aminoisophthalic acid triethylene glycol ester to afford well-defined, water-soluble, thermoresponsive hyperbranched polyamides, *Polymer* (2016), doi: 10.1016/j.polymer.2016.08.079.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Chain-growth condensation polymerization of 5aminoisophthalic acid triethylene glycol ester to afford well-defined, water-soluble, thermoresponsive hyperbranched polyamides

Yoshihiro Ohta, Kento Sakurai, Jun Matsuda, and Tsutomu Yokozawa*

Department of Material and Life Chemistry, Kanagawa University, Rokkakubashi, Kanagawa-ku, Yokohama 221-8686, Japan.

* Corresponding Author.

E-mail address: yokozt01@kanagawa-u.ac.jp (T.Yokozawa).

Keywords:

hyperbranched polymer; chain-growth condensation polymerization; lower critical solution temperature.

Download English Version:

https://daneshyari.com/en/article/5178914

Download Persian Version:

https://daneshyari.com/article/5178914

<u>Daneshyari.com</u>