## **Accepted Manuscript**

Polymer brushes modified by photosensitive azobenzene containing polyamines

Alexey Kopyshev, Casey J. Galvin, Jan Genzer, Nino Lomadze, Svetlana Santer

PII: S0032-3861(16)30190-2

DOI: 10.1016/j.polymer.2016.03.050

Reference: JPOL 18542


To appear in: Polymer

Received Date: 14 December 2015

Revised Date: 15 March 2016 Accepted Date: 16 March 2016

Please cite this article as: Kopyshev A, Galvin CJ, Genzer J, Lomadze N, Santer S, Polymer brushes modified by photosensitive azobenzene containing polyamines, *Polymer* (2016), doi: 10.1016/j.polymer.2016.03.050.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



#### CCEPTED MANUSCRIPT

### Polymer brushes modified by photosensitive azobenzene containing polyamines

Alexey Kopyshev, <sup>1</sup> Casey J. Galvin, <sup>2</sup> Jan Genzer, <sup>2</sup> Nino Lomadze, <sup>1</sup> Svetlana Santer <sup>1\*</sup>

<sup>1</sup> Institute of Physics and Astronomy, University of Potsdam, 14476 Potsdam, Germany

<sup>2</sup> Department of Chemical & Biomolecular Engineering, North Carolina State University, Raleigh, NC, USA

\* to whom correspondents should be addressed

AUTHOR EMAIL ADDRESS: santer@uni-potsdam.de

#### **RECEIVED DATE**

TITLE RUNNING HEAD: Photosensitive brushes, photosensitive azobenzene containing polyamines

#### **ABSTRACT**

This paper describes a strategy for preparing photosensitive polymeric grafts on flat solid surfaces by loading diblock-copolymer or homopolymer brushes with cationic azobenzene-containing surfactants. In contrast to previous work, we utilize photosensitive surfactants that bear positivelycharged polyamine head groups whose charge varies between 1+ and 3+. Poly(methyl methacrylateb-methacrylic acid) (PMMA-b-PMAA) brushes were prepared by employing atom transfer radical

#### Download English Version:

# https://daneshyari.com/en/article/5179063

Download Persian Version:

https://daneshyari.com/article/5179063

Daneshyari.com