

Accepted Manuscript

A head-to-head comparison of poly(sarcosine) and poly(ethylene glycol) in peptidic, amphiphilic block copolymers

David Huesmann, Adrian Sevenich, Benjamin Weber, Matthias Barz



PII: S0032-3861(15)00407-3

DOI: [10.1016/j.polymer.2015.04.070](https://doi.org/10.1016/j.polymer.2015.04.070)

Reference: JPOL 17822

To appear in: *Polymer*

Received Date: 14 August 2014




Revised Date: 21 April 2015

Accepted Date: 22 April 2015




Please cite this article as: Huesmann D, Sevenich A, Weber B, Barz M, A head-to-head comparison of poly(sarcosine) and poly(ethylene glycol) in peptidic, amphiphilic block copolymers, *Polymer* (2015), doi: 10.1016/j.polymer.2015.04.070.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Poly(ethylene glycol)



Poly(sarcosine)



Download English Version:

<https://daneshyari.com/en/article/5180201>

Download Persian Version:

<https://daneshyari.com/article/5180201>

[Daneshyari.com](https://daneshyari.com)