


# Accepted Manuscript

Dispersion of multi-walled carbon nanotube using soluble polysilsesquioxane containing alkylammonium side chains and triiodide counterions

Tomoyuki Arake, Kazuhiro Shikinaka, Takuo Sugioka, Hironobu Hashimoto, Yasutaka Sumida, Yoshiro Kaneko



PII: S0032-3861(13)00818-5

DOI: [10.1016/j.polymer.2013.08.035](https://doi.org/10.1016/j.polymer.2013.08.035)

Reference: JPOL 16437

To appear in: *Polymer*


Received Date: 17 June 2013

Revised Date: 9 August 2013

Accepted Date: 16 August 2013

Please cite this article as: Arake T, Shikinaka K, Sugioka T, Hashimoto H, Sumida Y, Kaneko Y, Dispersion of multi-walled carbon nanotube using soluble polysilsesquioxane containing alkylammonium side chains and triiodide counterions, *Polymer* (2013), doi: 10.1016/j.polymer.2013.08.035.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5181892>

Download Persian Version:

<https://daneshyari.com/article/5181892>

[Daneshyari.com](https://daneshyari.com)