

Polymer Vol. 54, No. 10, 26 April 2013

Contents

FEATURE ARTICLE

Amyloids: From molecular structure to mechanical properties

pp 2473–2488

Michael Schleege^a, Corianne C. vandenAkker^b, Tanja Deckert-Gaudig^c, Volker Deckert^{c,d}, Krassimir P. Velikov^{e,f}, Gijse Koenderink^b, Mischa Bonn^{a,*}

^a Max Planck Institute for Polymer Research, Department of Molecular Spectroscopy, Ackermannweg 10, 55128 Mainz, Germany


^b FOM Institute AMOLF, Science Park 104, 1098 XG, Amsterdam, The Netherlands

^c Institute of Photonic Technology, Albert-Einstein-Str. 9, 07745 Jena, Germany

^d Institute for Physical Chemistry & Abbe School of Photonics, University of Jena, Helmholtzweg 4, 07743 Jena, Germany

^e Unilever R&D Vlaardingen, Olivier van Noortlaan 120, 3133 AT Vlaardingen, The Netherlands

^f Soft Condensed Matter, Debye Institute for Nanomaterials Science, Department of Physics and Astronomy, Utrecht University, Princetonplein 5, 3584 CC Utrecht, The Netherlands



POLYMER COMMUNICATIONS

Strain-induced reversible isotropic–anisotropic structural transition of imogolite hydrogels


pp 2489–2492

Kazuhiro Shikinaka^a, Yumi Koizumi^a, Keisuke Kaneda^a, Yoshihito Osada^b, Hiroyasu Masunaga^c, Kiyotaka Shigehara^{a,*}

^a Graduate School of Engineering, Tokyo University of Agriculture and Technology, Koganei 184-8588, Japan

^b Advanced Science Institute, RIKEN, Wako 351-0198, Japan

^c Experimental Research Division, SPring-8, Japan Synchrotron Radiation Research Institute, Sayo-ku 679-5198, Japan




Controlling sol-gel polymerization to create bowl-shaped polysilsesquioxane particles with a kippah structure

pp 2493-2497

Jiaojie Cao, Qingzeng Zhu*, Jintao Dou, Chunxiao Li, Weikai Chen, Zhengqiang Li


Key Laboratory of Special Functional Aggregated Materials, Ministry of Education, School of Chemistry and Chemical Engineering, Shandong University, Jinan 250100, China

**POLYMER PAPERS****A novel main chain benzoxazine polymer with the ability of UV-induced self-surface modification**

pp 2498-2505

Jing Bai, Zixing Shi*, Jie Yin


School of Chemistry & Chemical Engineering, State Key Laboratory of Metal Matrix Composite Materials, Shanghai Jiao Tong University, 800 Dongchuan Road, Shanghai 200240, China

**Novel supramolecular CT polymer employing disparate pseudorotaxanes as relevant monomers**

pp 2506-2510

Ruyi Sun, Qiwei Zhang, Qiaochun Wang, Xiang Ma*


Key Labs for Advanced Materials and Institute of Fine Chemicals, East China University of Science & Technology, Shanghai 200237, PR China

**Design and formulation of soybean oil derived flexible polyurethane foams and their underlying polymer structure/property relationships**

pp 2511-2520

Mark F. Sonnenschein*, Benjamin L. Wendt

The Dow Chemical Co., Corporate Research and Development, Midland, MI 48674, USA



Download English Version:

<https://daneshyari.com/en/article/5181942>

Download Persian Version:

<https://daneshyari.com/article/5181942>

[Daneshyari.com](https://daneshyari.com)