


Polymer Vol. 54, No. 5, 28 February 2013

Contents

POLYMER COMMUNICATION

Unified description of transportation of polymer chains with different topologies through a small cylindrical pore


pp 1463–1465

Chi Wu^{a,b,*}, Lianwei Li^b^aDepartment of Chemistry, The Chinese University of Hong Kong, Shatin N. T., Hong Kong^bHefei National Laboratory for Physical Sciences at Microscale, Department of Chemical Physics, University of Science and Technology of China, Hefei 230026, China

POLYMER PAPERS

Mechanical reinforcement in model elastomer nanocomposites with tuned microstructure and interactions

pp 1466–1479

David Le Strat^a, Florent Dalmas^{a,*}, Solo Randriamahefa^a, Jacques Jestin^b, Véronique Wintgens^a^aICMPE (Institut de Chimie et des Matériaux Paris-Est), UMR 7182 CNRS, Université Paris-Est Créteil, 2-8 rue Henri Dunant, 94320 Thiais, France^bLLB (Laboratoire Léon Brillouin), CEA Saclay 91191 Gif-sur-Yvette Cedex, France

Synthesis, characterization (molecular-morphological) and theoretical morphology predictions of linear triblock terpolymers containing poly(cyclohexadiene)

pp 1480–1489

K. Misichronis^a, S. Rangou^{a,f}, E. Ashcraft^b, R. Kumar^c, M. Dadmun^b, B.G. Sumpter^{d,e}, N.E. Zafeiropoulos^a, J.W. Mays^b, A. Avgeropoulos^{a,*}

^a Polymers Laboratory, Department of Materials Science Engineering, University of Ioannina, University Campus, 45110 Ioannina, Greece


^b Department of Chemistry, University of Tennessee at Knoxville, Knoxville, TN 37996, USA

^c National Center for Computational Sciences, Oak Ridge National Laboratory, Oak Ridge, TN 37831, USA

^d Computer Science and Mathematics Division, Oak Ridge National Laboratory, Oak Ridge, TN 37831, USA

^e Center for Nanophase Materials Sciences, Oak Ridge National Laboratory, Oak Ridge, TN 37831, USA

^f Helmholtz-Zentrum Geesthacht, Institute of Polymer Research, Max-Planck-Str. 1, 21502 Geesthacht, Germany




Ionic conduction of slide-ring gel swollen with ionic liquids

pp 1490–1496

Takao Moriyasu^a, Takuma Sakamoto^a, Naoki Sugihara^a, Yukie Sasa^a, Yutaka Ota^a, Takeshi Shimomura^{a,*}, Yasuhiro Sakai^b, Kohzo Ito^b

^a Graduate School of Bio-Applications and Systems Engineering, Tokyo University of Agriculture and Technology, Koganei, Tokyo 184-8588, Japan

^b Graduate School of Frontier Sciences, The University of Tokyo, Kashiwa 277-8561, Japan



Unusual crystals of poly(ϵ -caprolactone) by unusual crystallisation: The effects of rapid cooling and fast solvent loss on the morphology, crystal structure and melting

pp 1497–1503


N. Sanandaji^a, L. Ovaskainen^a, M. Klein Gunnewiek^b, G.J. Vancso^b, M.S. Hedenqvist^a, S. Yu^c, L. Eriksson^d, S.V. Roth^c, U.W. Gedde^{a,*}

^a KTH Royal Institute of Technology, School of Chemical Science and Engineering, Fibre and Polymer Technology, SE-100 44 Stockholm, Sweden

^b Materials Science and Technology of Polymers, University of Twente, NL-7500 AE Enschede, The Netherlands

^c HASYLAB-DESY, Notkestr. 85, DE-22607 Hamburg, Germany

^d Materials and Environmental Chemistry, Arrhenius Laboratory, Stockholm University, SE-106 91 Stockholm, Sweden




Glass transition in polymers: (In)correct determination of activation energy

pp 1504–1511

Roman Svoboda*, Jiří Málek

University of Pardubice, Faculty of Chemical Technology, Department of Physical Chemistry, Studentska 573, 532 10 Pardubice, Czech Republic

Activation energy of physical aging evaluated according Kissinger equation clearly deviates from correct value (red line).



Download English Version:

<https://daneshyari.com/en/article/5182685>

Download Persian Version:

<https://daneshyari.com/article/5182685>

[Daneshyari.com](https://daneshyari.com)