

Contents of Volume 25

Volume 25 Number 1 2006

- 1 Editorial
- 2 The measurement of resilience with a scanning probe microscope
M.G. HUSON & J.M. MAXWELL (Australia)
- 12 Application of GPC in characterization of MP resin through correlation of softening point and methylol content with weight average molecular weight
S. CHAKRABORTY, S. BANDYOPADHYAY, S. DASGUPTA, R. MUKHOPADHYAY & A.S. DEURI (India)
- 16 Infrared microspectroscopic mapping of the homogeneity of extruded blends: Application to starch/polyester blends
L. MOGHADDAM, L. RINTOUL, P.J. HALLEY & P.M. FREDERICKS (Australia)
- 22 Dynamic contact angles and morphology of PP fibres treated with plasma
F. HUANG, Q. WEI, X. WANG & W. XU (PR China)
- 28 Effect of branching characteristics of ethylene/1-butene copolymers on melt flow index
N. FAZELI, H. ARABI & SH. BOLANDI (Iran)
- 34 Effect of vulcanization system on properties of thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends
C. NAKASON, P. WANNAVILAI & A. KAESAMAN (Thailand)
- 42 3D full-field deformation monitoring of fiber composite pressure vessel using 3D digital speckle correlation method
L.B. MENG, G.C. JIN, X.F. YAO (China) & H.Y. YEH (USA)
- 49 Izod impact tests of polypropylenes: The clamping pressure influence
C. DOMÍNGUEZ, M. AROCA & J. RODRÍGUEZ (Spain)
- 56 Damping characteristics of unreinforced, glass and carbon fiber reinforced nylon 6/6 spur gears
S. SENTHILVELAN & R. GNANAMOORTHY (India)
- 63 The use of two-dimensional GC–MS for the identification and quantification of low molecular weight compounds from high performance elastomers
M. FORREST, S. HOLDING & D. HOWELLS (UK)
- 75 Superposition of heat release rate curves for combustibles with bench-scale tests
W.K. CHOW & S.S. HAN (China)

- 83 Oxidation induction time studies on the thermal degradation behaviour of polyoxymethylene
V.-M. ARCHODOULAKI, S. LÜFTL & S. SEIDLER (Austria)
- 91 Photo-degradability of ketone modified PS/HIPS blends
F.M. DUARTE, G. BOTELHO & A.V. MACHADO (Portugal)
- 98 Plastic deformation behavior of polypropylene/calcium carbonate composites with and without
maleic anhydride grafted polypropylene incorporated using the essential work of fracture
method
G. GONG, B.-H. XIE, W. YANG, Z.-M. LI, S.-M. LAI & M.-B. YANG (PR China)
- 107 Determination of the epoxide equivalent weight (EEW) of epoxy resins with different chemical
structure and functionality using GPC and ¹H-NMR
S.-A. GAREA, A.-C. CORBU, C. DELEANU & H. IOVU (Romania)
- 114 Determination of springback gradient in the die on compacted polymer powders during high-velocity
compaction
B. AZHDAR, B. STENBERG, L. KARI (Sweden)
- 124 Effects of vibration force field on structure and properties of HDPE/CaCO₃ nanocomposites
W. LUO, N. ZHOU, Z. ZHANG & H. WU (PR China)
- 130 A degradation study of isotactic virgin and recycled polypropylene used in lead acid battery
casings
N. RUST, E.E. FERG & I. MASALOVA (South Africa)

Volume 25 Number 2 2006

- 141 Editorial
- 142 Lightweight laminate composites made from kenaf and polypropylene fibres
S. SHIBATA, Y. CAO & I. FUKUMOTO (Japan)
- 149 Equivalence of moisture and temperature in accelerated test method and its application in prediction
of long-term properties of glass-fiber reinforced epoxy pipe specimen
J. YAO & G. ZIEGMANN (Germany)
- 158 Electrochemical and mechanical properties of hydrogels based on conductive poly(3,4-ethylene
dioxythiophene)/poly(styrenesulfonate) and PAAm
F.A. AOUADA, M.R. GUILHERME, G.M. CAMPESE, E.M. GIROTTI, A.F. RUBIRA &
E.C. MUNIZ (Brazil)
- 166 Reference materials for weathering tests on rubber products
Y. AIMURA & N. WADA (Japan)
- 176 Chemical resistance and transmissivity of nonwoven geotextiles in waste leachate solutions
H.Y. JEON (South Korea)
- 181 Relationship between water absorption and dielectric behaviour of natural fibre composite materials
A.N. FRAGA (Argentina), E. FRULLONI (Italy), O. DE LA OSA (Argentina), J.M. KENNY
(Italy) & A. VÁZQUEZ (Argentina)
- 188 Study of erosion efficiency of polymers and polymer composites
S. ARJULA & A.P. HARSHA (India)
- 197 Low cost capillary rheometer, transfer molding and die-drawing module
A.T. MORITA, M.S. TOMA & M.-A. DE PAOLI (Brasil)

Download English Version:

<https://daneshyari.com/en/article/5207632>

Download Persian Version:

<https://daneshyari.com/article/5207632>

[Daneshyari.com](https://daneshyari.com)