### Accepted Manuscript

Comparison between two different click strategies to synthesize fluorescent nanogels for therapeutic applications

Emanuele Mauri, Irene Moroni, Luca Magagnin, Maurizio Masi, Alessandro Sacchetti, Filippo Rossi

 PII:
 \$1381-5148(16)30093-1

 DOI:
 doi: 10.1016/j.reactfunctpolym.2016.05.007


 Reference:
 REACT 3696

To appear in:

Received date:2 March 2016Revised date:4 April 2016Accepted date:6 May 2016

Please cite this article as: Emanuele Mauri, Irene Moroni, Luca Magagnin, Maurizio Masi, Alessandro Sacchetti, Filippo Rossi, Comparison between two different click strategies to synthesize fluorescent nanogels for therapeutic applications, (2016), doi: 10.1016/j.reactfunctpolym.2016.05.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## **ACCEPTED MANUSCRIPT**

### **Comparison between Two Different Click Strategies**

#### to Synthesize Fluorescent Nanogels for Therapeutic Applications

Emanuele Mauri, Irene Moroni, Luca Magagnin, Maurizio Masi,

Alessandro Sacchetti \* and Filippo Rossi \*

Department of Chemistry, Materials and Chemical Engineering "Giulio Natta", Politecnico di Milano, via Mancinelli 7, 20131 Milan, Italy

\* Alessandro Sacchetti. Tel.: +39 0223993017; fax: +39 0223993180; e-mail: alessandro.sacchetti@polimi.it

\* Filippo Rossi. Tel.: +39 0223993145; fax: +39 0223993180; e-mail: filippo.rossi@polimi.it

Download English Version:

# https://daneshyari.com/en/article/5209537

Download Persian Version:

https://daneshyari.com/article/5209537

Daneshyari.com