


Accepted Manuscript

Pheromone synthesis. Part 257: Synthesis of methyl (2*E*,4*Z*,7*Z*)-2,4,7-decatrienoate and methyl (*E*)-2,4,5-tetradecatrienoate, the pheromone components of the male dried bean beetle, *Acanthoscelides obtectus* (Say)

Kenji Mori



PII: S0040-4020(15)00935-7

DOI: [10.1016/j.tet.2015.06.051](https://doi.org/10.1016/j.tet.2015.06.051)

Reference: TET 26887

To appear in: *Tetrahedron*

Received Date: 1 June 2015


Revised Date: 11 June 2015

Accepted Date: 12 June 2015

Please cite this article as: Mori K, Pheromone synthesis. Part 257: Synthesis of methyl (2*E*,4*Z*,7*Z*)-2,4,7-decatrienoate and methyl (*E*)-2,4,5-tetradecatrienoate, the pheromone components of the male dried bean beetle, *Acanthoscelides obtectus* (Say), *Tetrahedron* (2015), doi: 10.1016/j.tet.2015.06.051.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pheromone synthesis. Part 257: Synthesis of methyl (2*E*,4*Z*,7*Z*)-2,4,7-decatrienoate and methyl (*E*)-2,4,5-tetradecatrienoate, the pheromone components of the male dried bean beetle, *Acanthoscelides obtectus* (Say)
Kenji Mori*



K. Mori, Graphical Abstract.

Download English Version:

<https://daneshyari.com/en/article/5214583>

Download Persian Version:

<https://daneshyari.com/article/5214583>

[Daneshyari.com](https://daneshyari.com)