### **Accepted Manuscript**

Unexpected reactivity of the 2'-carboxyl functionality in rhodamine dyes

Richard A. Haack, Susan Gayda, Richard J. Himmelsbach, Sergey Y. Tetin

PII: S0040-4039(17)30359-3

DOI: http://dx.doi.org/10.1016/j.tetlet.2017.03.054

Reference: TETL 48755

To appear in: Tetrahedron Letters

Received Date: 16 February 2017 Revised Date: 14 March 2017 Accepted Date: 17 March 2017



Please cite this article as: Haack, R.A., Gayda, S., Himmelsbach, R.J., Tetin, S.Y., Unexpected reactivity of the 2'-carboxyl functionality in rhodamine dyes, *Tetrahedron Letters* (2017), doi: http://dx.doi.org/10.1016/j.tetlet. 2017.03.054

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

### **Graphical Abstract**

To create your abstract, type over the instructions in the template box below. Fonts or abstract dimensions should not be changed or altered.

# **Unexpected reactivity of the 2'-carboxyl functionality in rhodamine dyes**

Leave this area blank for abstract info.

Richard A. Haack, Susan Gayda, Richard J. Himmelsbach and Sergey Y. Tetin

Pentafluorophenyl esters 2'-carboxyrhodamine dyes are prepared under mild conditions producing single isomer reactive esters, allowing introduction of linkers suitable for bioconjugation.

#### Download English Version:

## https://daneshyari.com/en/article/5257861

Download Persian Version:

https://daneshyari.com/article/5257861

<u>Daneshyari.com</u>