An oxidative cyclopropanation reaction of primary nitro compounds using Fe_2O_3

Takaaki Moriyama, Yuji Ito, Yusuke Koyama, Takuji Kawamoto, Akio Kamimura

PII: S0040-4039(16)30672-4
DOI: http://dx.doi.org/10.1016/j.tetlet.2016.06.013
Reference: TETL 47740

To appear in: *Tetrahedron Letters*

Received Date: 6 May 2016
Revised Date: 30 May 2016
Accepted Date: 2 June 2016

Please cite this article as: Moriyama, T., Ito, Y., Koyama, Y., Kawamoto, T., Kamimura, A., An oxidative cyclopropanation reaction of primary nitro compounds using Fe_2O_3, *Tetrahedron Letters* (2016), doi: http://dx.doi.org/10.1016/j.tetlet.2016.06.013

Graphical Abstract

To create your abstract, type over the instructions in the template box below.
Fonts or abstract dimensions should not be changed or altered.

An oxidative cyclopropanation reaction of primary nitro compounds using Fe_2O_3

Leave this area blank for abstract info.

Takaaki Moriyama, Yuji Ito, Yusuke Koyama, Takuji Kawamoto, and Akio Kamimura*
Department of Applied Molecular Bioscience, Graduate School of Medicine, Yamaguchi University, Ube 755-8611 Japan



1 2