

Accepted Manuscript

A strategy for generating alkyl radicals from aliphatic esters and lactones via sequential hydrolysis and photoinduced decarboxylation

Hikaru Saito, Takayuki Kanetake, Kazuyuki Osaka, Kousuke Maeda, Toshio Morita, Yasuharu Yoshimi

PII: S0040-4039(15)00279-8
DOI: <http://dx.doi.org/10.1016/j.tetlet.2015.02.020>
Reference: TETL 45888

To appear in: *Tetrahedron Letters*

Received Date: 19 January 2015
Revised Date: 29 January 2015
Accepted Date: 6 February 2015



Please cite this article as: Saito, H., Kanetake, T., Osaka, K., Maeda, K., Morita, T., Yoshimi, Y., A strategy for generating alkyl radicals from aliphatic esters and lactones via sequential hydrolysis and photoinduced decarboxylation, *Tetrahedron Letters* (2015), doi: <http://dx.doi.org/10.1016/j.tetlet.2015.02.020>


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract

A strategy for generating alkyl radicals from aliphatic esters and lactones via sequential hydrolysis and photoinduced decarboxylation

Leave this area blank for abstract info.

Hikaru Saito, Takayuki Kanetake, Kazuyuki Osaka, Kousuke Maeda, Toshio Morita, Yasuharu Yoshimi*



Download English Version:

<https://daneshyari.com/en/article/5260646>

Download Persian Version:

<https://daneshyari.com/article/5260646>

[Daneshyari.com](https://daneshyari.com)