## Accepted Manuscript

A novel method for the synthesis of benzimidazole – based 1,4-quinone derivatives

Nelli Batenko, Alisa Kricka, Sergey Belyakov, Baiba Turovska, Raimonds Valters

PII: S0040-4039(15)30417-2

DOI: http://dx.doi.org/10.1016/j.tetlet.2015.12.002

Reference: TETL 47049

To appear in: Tetrahedron Letters

Received Date: 27 July 2015

Revised Date: 27 November 2015 Accepted Date: 1 December 2015



Please cite this article as: Batenko, N., Kricka, A., Belyakov, S., Turovska, B., Valters, R., A novel method for the synthesis of benzimidazole – based 1,4-quinone derivatives, *Tetrahedron Letters* (2015), doi: http://dx.doi.org/10.1016/j.tetlet.2015.12.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### **ACCEPTED MANUSCRIPT**

### **Graphical Abstract**

To create your abstract, type over the instructions in the template box below. Fonts or abstract dimensions should not be changed or altered.

# A novel method for the synthesis of benzimidazole – based 1,4-quinone derivatives

Leave this area blank for abstract info.

Nelli Batenko, Alisa Kricka, Sergey Belyakov, Baiba Turovska and Raimonds Valters

$$0 \longrightarrow 0 \longrightarrow R \longrightarrow H0 \longrightarrow X \longrightarrow K$$

$$CI \longrightarrow N \longrightarrow K$$

X = CH, R = H,  $CH_{3}$ ,  $NO_{2}$ , CN, benzo; X = N, R = H

#### Download English Version:

# https://daneshyari.com/en/article/5261303

Download Persian Version:

https://daneshyari.com/article/5261303

<u>Daneshyari.com</u>