

Accepted Manuscript

Magnetically separable nano CeO₂: A highly efficient catalyst for ligand free direct C–H arylation of heterocycles

Radheshyam S. Shelkar, Kishor E. Balsane, Jayashree M. Nagarkar

PII: S0040-4039(14)02135-2
DOI: <http://dx.doi.org/10.1016/j.tetlet.2014.12.069>
Reference: TETL 45593

To appear in: *Tetrahedron Letters*

Received Date: 18 August 2014
Revised Date: 10 December 2014
Accepted Date: 12 December 2014

Please cite this article as: Shelkar, R.S., Balsane, K.E., Nagarkar, J.M., Magnetically separable nano CeO₂: A highly efficient catalyst for ligand free direct C–H arylation of heterocycles, *Tetrahedron Letters* (2014), doi: <http://dx.doi.org/10.1016/j.tetlet.2014.12.069>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




Graphical Abstract

To create your abstract, type over the instructions in the template box below.
Fonts or abstract dimensions should not be changed or altered.

Magnetically separable nano CeO₂: A highly efficient catalyst for ligand free direct C-H arylation of heterocycles

Leave this area blank for abstract info.

Radheshyam S Shelkar^a, Kishor E Balsane^a, Jayashree M Nagarkar^{a,*}

Download English Version:

<https://daneshyari.com/en/article/5263464>

Download Persian Version:

<https://daneshyari.com/article/5263464>

[Daneshyari.com](https://daneshyari.com)