

Neutral Bile Acid Cyclic Dimers Exhibit Fluoride Coordination by Cooperative Aliphatic and Triazole CH Segments

Weina Li, Qiong Xu, Yan Li, Wei Zhu, Jiecheng Cui, Yong Ju, Guangtao Li

PII: S0040-4039(13)00788-0
DOI: http://dx.doi.org/10.1016/j.tetlet.2013.05.031
Reference: TETL 42931

To appear in: *Tetrahedron Letters*

Received Date: 22 January 2013
Revised Date: 1 May 2013
Accepted Date: 13 May 2013

Please cite this article as: Li, W., Xu, Q., Li, Y., Zhu, W., Cui, J., Ju, Y., Li, G., Neutral Bile Acid Cyclic Dimers Exhibit Fluoride Coordination by Cooperative Aliphatic and Triazole CH Segments, *Tetrahedron Letters* (2013), doi: http://dx.doi.org/10.1016/j.tetlet.2013.05.031

Graphical Abstract

To create your abstract, type over the instructions in the template box below.
Fonts or abstract dimensions should not be changed or altered.

Neutral Bile Acid Cyclic Dimers Exhibit Fluoride Coordination by Cooperative Aliphatic and Triazole CH Segments

Leave this area blank for abstract info.

Weina Li[a,b], Qiong Xu[c], Yan Li[a,b], Wei Zhu[a], Jiecheng Cui[a], Yong Ju[b,*] and Guangtao Li[a,*]