

Accepted Manuscript

Metal-free new synthesis of 1,3-naphthoxazines *via* intramolecular cross dehydrogenative-coupling reaction of 1-(α -aminoalkyl)-2-naphthols using hypervalent iodine(III) reagent

Nitin A. Waghmode, Amit H. Kalbandhe, Prerana B. Thorat, Nandkishor N. Karade

PII: S0040-4039(15)30531-1
DOI: <http://dx.doi.org/10.1016/j.tetlet.2015.12.117>
Reference: TETL 47164

To appear in: *Tetrahedron Letters*

Received Date: 31 October 2015
Revised Date: 28 December 2015
Accepted Date: 30 December 2015



Please cite this article as: Waghmode, N.A., Kalbandhe, A.H., Thorat, P.B., Karade, N.N., Metal-free new synthesis of 1,3-naphthoxazines *via* intramolecular cross dehydrogenative-coupling reaction of 1-(α -aminoalkyl)-2-naphthols using hypervalent iodine(III) reagent, *Tetrahedron Letters* (2015), doi: <http://dx.doi.org/10.1016/j.tetlet.2015.12.117>


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract

Metal-free new synthesis of 1,3-naphthoxazines via intramolecular cross dehydrogenative-coupling reaction of 1-(α -aminoalkyl)-2-naphthols using hypervalent iodine(III) reagent

Leave this area blank for abstract info.

Nitin Waghmode, Amit H. Kalbandhe, Prerana B. Thorat and Nandkishor N. Karade*



Download English Version:

<https://daneshyari.com/en/article/5266918>

Download Persian Version:

<https://daneshyari.com/article/5266918>

[Daneshyari.com](https://daneshyari.com)