

Accepted Manuscript

Indium-Catalyzed Reduction of Secondary Amides with a Hydrosiloxane Leading to Secondary Amines

Norio Sakai, Masashi Takeoka, Takayuki Kumaki, Hirotaka Asano, Takeo Konakahara, Yohei Ogiwara

PII: S0040-4039(15)30189-1
DOI: <http://dx.doi.org/10.1016/j.tetlet.2015.09.148>
Reference: TETL 46820

To appear in: *Tetrahedron Letters*

Received Date: 30 July 2015
Revised Date: 27 September 2015
Accepted Date: 30 September 2015

Please cite this article as: Sakai, N., Takeoka, M., Kumaki, T., Asano, H., Konakahara, T., Ogiwara, Y., Indium-Catalyzed Reduction of Secondary Amides with a Hydrosiloxane Leading to Secondary Amines, *Tetrahedron Letters* (2015), doi: <http://dx.doi.org/10.1016/j.tetlet.2015.09.148>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




Graphical Abstract

Indium-Catalyzed Reduction of Secondary Amides with a Hydrosiloxane Leading to Secondary Amines

Leave this area blank for abstract info.

Norio Sakai,* Masashi Takeoka, Takayuki Kumaki, Hirotaka Asano, Takeo Konakahara, and Yohei Ogiwara



Download English Version:

<https://daneshyari.com/en/article/5267333>

Download Persian Version:

<https://daneshyari.com/article/5267333>

[Daneshyari.com](https://daneshyari.com)