### Accepted Manuscript

Metal-free halogenation of arylboronate with *N*-halosuccinimide

Toshiyuki Kamei, Aoi Ishibashi, Toyoshi Shimada

PII: S0040-4039(14)00982-4

DOI: http://dx.doi.org/10.1016/j.tetlet.2014.06.003

Reference: TETL 44727

To appear in: Tetrahedron Letters

Received Date: 28 April 2014 Revised Date: 28 May 2014 Accepted Date: 3 June 2014



Please cite this article as: Kamei, T., Ishibashi, A., Shimada, T., Metal-free halogenation of arylboronate with *N*-halosuccinimide, *Tetrahedron Letters* (2014), doi: http://dx.doi.org/10.1016/j.tetlet.2014.06.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

### **Graphical Abstract**

# Metal-free halogenation of arylboronate with N-halosuccinimide

Leave this area blank for abstract info.

Toshiyuki Kamei\*, Aoi Ishibashi, Toyoshi Shimada \*

$$R = \frac{B(pin)}{I} + NXS \longrightarrow R = \frac{B(pin)}{X}$$

$$(X = CI \text{ or } Br)$$

#### Download English Version:

## https://daneshyari.com/en/article/5269295

Download Persian Version:

https://daneshyari.com/article/5269295

<u>Daneshyari.com</u>