Accepted Manuscript

Title: Characterisation of well-adhered ZrO₂ layers produced on structured reactors using the sonochemical sol-gel method.

Authors: Przemysław J. Jodłowski, Damian K. Chlebda, Roman J. Jędrzejczyk, Anna Dziedzicka, Ł. Kuterasiński, Maciej Sitarz

PII: S0169-4332(17)32389-9

DOI: http://dx.doi.org/doi:10.1016/j.apsusc.2017.08.057

Reference: APSUSC 36894

To appear in: APSUSC

Received date: 19-4-2017 Revised date: 10-7-2017 Accepted date: 7-8-2017

Please cite this article as: Przemysław J.Jodłowski, Damian K.Chlebda, Roman J.Jędrzejczyk, Anna Dziedzicka, Ł.Kuterasiński, Maciej Sitarz, Characterisation of well-adhered ZrO2 layers produced on structured reactors using the sonochemical solgel method., Applied Surface Sciencehttp://dx.doi.org/10.1016/j.apsusc.2017.08.057

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Characterisation of well-adhered ZrO₂ layers produced on structured reactors using the sonochemical sol-gel method.

Przemysław J. Jodłowski^{1,*}, Damian K. Chlebda², Roman J. Jędrzejczyk³, Anna Dziedzicka¹, Ł. Kuterasiński¹, Maciej Sitarz⁴


¹Faculty of Chemical Engineering and Technology, Cracow University of Technology, Warszawska 24, 30-155 Kraków, Poland

²Faculty of Chemistry, Jagiellonian University, ul. Ingardena 3, 30-060 Kraków, Poland

³The Malopolska Centre of Biotechnology, Jagiellonian University, ul. Gronostajowa 7A, Kraków, Poland

⁴Faculty of Materials Science and Ceramics, AGH University of Science and Technology, al. Mickiewicza 30, 30-059 Kraków, Poland

Graphical abstract



Highlights

- Method of preparation of ZrO₂ layers via in situ sonochemical process is proposed
- ZrO₂ layers are deposited onto the metallic supports
- ZrO₂ coatings are uniform and cracks-free
- Deposited ZrO₂ layers are highly resistant to mechanical factors

^{*}corresponding author`s email: jodlowski@chemia.pk.edu.pl

Download English Version:

https://daneshyari.com/en/article/5346819

Download Persian Version:

https://daneshyari.com/article/5346819

<u>Daneshyari.com</u>