Accepted Manuscript

Title: Facile method to prepare CdS nanostructure based on the CdTe films

Author: Ligang Ma Yuehui Chen Zelu Wei Hongling Cai

Fengming Zhang Xiaoshan Wu

PII: S0169-4332(15)01122-8

DOI: http://dx.doi.org/doi:10.1016/j.apsusc.2015.05.024

Reference: APSUSC 30349

To appear in: APSUSC

Received date: 27-3-2015 Revised date: 23-4-2015 Accepted date: 6-5-2015

Please cite this article as: L. Ma, Y. Chen, Z. Wei, H. Cai, F. Zhang, X. Wu, Facile method to prepare CdS nanostructure based on the CdTe films, *Applied Surface Science* (2015), http://dx.doi.org/10.1016/j.apsusc.2015.05.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- 1. CdS nanostructure is directly fabricated on CdTe film only by heating treatment under H_2S/N_2 mixed atmosphere at a relatively low temperature (450 °C) with gold layer as the intermediate.
- 2. Nanostructure of CdS layer, varying from nanowires to nanosheets, may be controlled by the thickness of gold film.
- 3. The change of morphology adjusts its luminescence properties.

Download English Version:

https://daneshyari.com/en/article/5349396

Download Persian Version:

https://daneshyari.com/article/5349396

<u>Daneshyari.com</u>