

Antifouling composites with self-adaptive controlled release based on an active compound intercalated into layered double hydroxides

Miaosen Yang,^{a,b} Lianghua Gu,^b Bin Yang,^c Li Wang,^b Zhiyong Sun^{*,b} Jiyong Zheng,^b Jinwei Zhang,^b Jian Hou,^b Cunguo Lin,^{*,b}

^a*School of Chemical Engineering, Northeast Electric Power University, Jilin, 130212, P. R. China*

^b*State Key Laboratory for Marine Corrosion and Protection, Luoyang Ship Material Research Institute, Qingdao 266273, P. R. China*

^c*Engineering Technology Research Institute, BHDC, Tianjin 300280, P. R. China*

CORRESPONDING AUTHOR FOOTNOTE

*Corresponding author. Phone: +86-532-68725026; Fax: +86-532-68725100. E-mail: szy_sunrui725@163.com (Zhiyong Sun)

*Corresponding author. Phone: +86-532-68725021; Fax: +86-532-68725100. E-mail: lincg@sunrui.net (Cunguo Lin)

Download English Version:

<https://daneshyari.com/en/article/5349506>

Download Persian Version:

<https://daneshyari.com/article/5349506>

[Daneshyari.com](https://daneshyari.com)