

Accepted Manuscript

Title: Rheology of cellulose nanofibrils/silver nanowires suspension for the production of transparent and conductive electrodes by screen printing

Author: Fanny Hoeng Aurore Denneulin Nadège Reverdy-Bruas Guillaume Krosnicki Julien Bras



PII: S0169-4332(16)32189-4
DOI: <http://dx.doi.org/doi:10.1016/j.apsusc.2016.10.073>
Reference: APSUSC 34167

To appear in: *APSUSC*

Received date: 8-8-2016
Revised date: 3-10-2016
Accepted date: 14-10-2016

Please cite this article as: Fanny Hoeng, Aurore Denneulin, Nadège Reverdy-Bruas, Guillaume Krosnicki, Julien Bras, Rheology of cellulose nanofibrils/silver nanowires suspension for the production of transparent and conductive electrodes by screen printing, *Applied Surface Science* <http://dx.doi.org/10.1016/j.apsusc.2016.10.073>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Rheology of cellulose nanofibrils/silver nanowires suspension for the production of transparent and conductive electrodes by screen printing

Fanny Hoeng^{1,2}, Aurore Denneulin¹, Nadège Reverdy-Bruas¹, Guillaume Krosnicki², Julien Bras^{1*}

¹Univ. Grenoble Alpes, LGP2, F-38000 Grenoble, France

²Poly-Ink, 27, Boulevard Louise Michel, 92230 Gennevilliers, France

**Corresponding author: julien.bras@grenoble-inp.fr*

Download English Version:

<https://daneshyari.com/en/article/5352895>

Download Persian Version:

<https://daneshyari.com/article/5352895>

[Daneshyari.com](https://daneshyari.com)