## Accepted Manuscript

Title: Materials processing with superposed Bessel beams

Author: Xiaoming Yu Carlos A. Trallero-Herrero Shuting Lei

PII: S0169-4332(15)02769-5

DOI: http://dx.doi.org/doi:10.1016/j.apsusc.2015.11.074

Reference: APSUSC 31791

To appear in: APSUSC

Received date: 21-8-2015 Revised date: 21-10-2015 Accepted date: 8-11-2015

Please cite this article as: X. Yu, C.A. Trallero-Herrero, S. Lei, Materials processing with superposed Bessel beams, *Applied Surface Science* (2015), http://dx.doi.org/10.1016/j.apsusc.2015.11.074


Applied Surface Science

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1

2

## **Graphical Abstract**



3 4 5

6

7

8

Highlights

Superpositions of Bessel beams can be generated with >50% efficiency using an SLM and an

- These beams have orders-of-magnitude increase in depth-of-focus compared to Gaussian beams.
- Multiple craters can be fabricated on glass with single-shot exposure. 9
- 10 The 1+(-1) superposition can reduce collateral damage caused by the rings in the zero-order Bessel beams.

11

12

## Download English Version:

## https://daneshyari.com/en/article/5357224

Download Persian Version:

https://daneshyari.com/article/5357224

<u>Daneshyari.com</u>