## Accepted Manuscript

Title: The effect of different order of purification treatments on the purity of multiwalled carbon nanotubes

Author: <ce:author id="aut0005"> Xinlong Ling<ce:author id="aut0010"> Yizhe Wei<ce:author id="aut0015"> Liming Zou<ce:author id="aut0020"> Su Xu



PII: S0169-4332(13)00524-2

DOI: http://dx.doi.org/doi:10.1016/j.apsusc.2013.03.056

Reference: APSUSC 25346

To appear in: APSUSC

Received date: 8-1-2013 Revised date: 11-3-2013 Accepted date: 12-3-2013

Please cite this article as: X. Ling, Y. Wei, L. Zou, S. Xu, The effect of different order of purification treatments on the purity of multiwalled carbon nanotubes, *Applied Surface Science* (2013), http://dx.doi.org/10.1016/j.apsusc.2013.03.056

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

### Highlights

- ► MWCNTs were purified with different order treatments of gas phase and liquid phase.
- ► MWCNTs were characterized by TGA, FTIR, Raman, XPS, titration and weighing method.
- ▶ The morphology of purified MWCNTs was verified using SEM and TEM.
- ► Amorphous carbon and iron catalysts in MWCNTs were removed.
- ▶ The method including gas phase firstly and then liquid phase was more effective.

#### Download English Version:

# https://daneshyari.com/en/article/5360062

Download Persian Version:

https://daneshyari.com/article/5360062

<u>Daneshyari.com</u>