

Accepted Manuscript

Title: Solvent-Free Covalent Functionalization of Nanodiamond with Amines

Authors: Elena V. Basiuk, Adriana Santamaría-Bonfil, Victor Meza-Laguna, Taras Yu. Gromovoy, Edgar Alvares-Zauco, Flavio F. Contreras-Torres, Juan Rizo, Guadalupe Zavala, Vladimir A. Basiuk



PII: S0169-4332(12)02213-1
DOI: doi:10.1016/j.apsusc.2012.12.062
Reference: APSUSC 24821

To appear in: *APSUSC*

Received date: 16-7-2012
Revised date: 9-12-2012
Accepted date: 11-12-2012

Please cite this article as: E.V. Basiuk, A. Santamaría-Bonfil, V. Meza-Laguna, T.Yu. Gromovoy, E. Alvares-Zauco, F.F. Contreras-Torres, J. Rizo, G. Zavala, V.A. Basiuk, Solvent-Free Covalent Functionalization of Nanodiamond with Amines, *Applied Surface Science* (2010), doi:10.1016/j.apsusc.2012.12.062

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

- Nanodiamond was covalently functionalized by reacting its carboxylic groups with amines;
- The amide functionalization was done at elevated temperature and without organic solvents;
- Functionalized nanodiamonds were characterized by a number of instrumental techniques.

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/5360298>

Download Persian Version:

<https://daneshyari.com/article/5360298>

[Daneshyari.com](https://daneshyari.com)