

Accepted Manuscript

Length-dependent Optical Properties of Single-Walled Carbon Nanotube Samples


Anton V. Naumov, Dmitri A. Tsyboulski, Sergei M. Bachilo, R. Bruce Weisman

PII: S0301-0104(13)00002-5

DOI: <http://dx.doi.org/10.1016/j.chemphys.2012.12.033>

Reference: CHEMPH 8737

To appear in: *Chemical Physics*



Please cite this article as: A.V. Naumov, D.A. Tsyboulski, S.M. Bachilo, R. Bruce Weisman, Length-dependent Optical Properties of Single-Walled Carbon Nanotube Samples, *Chemical Physics* (2013), doi: <http://dx.doi.org/10.1016/j.chemphys.2012.12.033>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Length-dependent Optical Properties of Single-Walled Carbon Nanotube Samples

*Anton V. Naumov,^{a,b} Dmitri A. Tsyboulski,^{a,c} Sergei M. Bachilo,^a
and R. Bruce Weisman^{a*}*

^a Department of Chemistry and Richard E. Smalley Institute for Nanoscale Science and Technology, Rice University, 6100 Main Street, Houston, Texas 77005 USA

^b Ensysce Biosciences, Inc., 7000 Fannin St., Houston, Texas 77030 USA

^c Present address: TomoWave Laboratories, Inc., 6550 Mapleridge St., Suite 124, Houston, Texas 77025 USA

Corresponding author: R. B. Weisman, weisman@rice.edu, 713-348-3709

RECEIVED DATE

KEYWORDS: SWCNT, fluorescence quantum yield, exciton diffusion range, absorption cross-section, shear dispersion, length fractionation

Download English Version:

<https://daneshyari.com/en/article/5373895>

Download Persian Version:

<https://daneshyari.com/article/5373895>

[Daneshyari.com](https://daneshyari.com)