

Accepted Manuscript

Title: Comparison of degradation mechanisms in organic photovoltaic devices upon exposure to a temperate and a subequatorial climate

Author: V.I. Madogni B. Kounouhewa Aristide Akpo M. Agbomahéna S.A. Hounkpatin C.N. Awanou



PII: S0009-2614(15)00701-0
DOI: <http://dx.doi.org/doi:10.1016/j.cplett.2015.09.023>
Reference: CPLETT 33293

To appear in:

Received date: 20-7-2015
Revised date: 11-9-2015
Accepted date: 13-9-2015

Please cite this article as: V.I. Madogni, B. Kounouhewa, A. Akpo, M. Agbomahéna, S.A. Hounkpatin, C.N. Awanou, Comparison of degradation mechanisms in organic photovoltaic devices upon exposure to a temperate and a subequatorial climate, *Chem. Phys. Lett.* (2015), <http://dx.doi.org/10.1016/j.cplett.2015.09.023>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Differences in degradation of the devices have been attributed to humidity differences of both environments.
- The decrease in the power efficiency is shown to be related to the electrodes degradation, interfaces and charge transport in the active layer.
- The diffusion of H₂O and O₂ species through the layers is more rapid

at the high temperature.

Download English Version:

<https://daneshyari.com/en/article/5379315>

Download Persian Version:

<https://daneshyari.com/article/5379315>

[Daneshyari.com](https://daneshyari.com)