Accepted Manuscript

Stability and Reactivity of Progressively Methylolated Melamine Derivatives

Jernej Zidar, Matic Pavlin, Igor Mihelič, Primož Ogorelec, Janez Plavec, Janez Mavri

PII:	S2210-271X(12)00580-4
DOI:	http://dx.doi.org/10.1016/j.comptc.2012.11.010
Reference:	COMPTC 952
To appear in:	Computational & Theoretical Chemistry
Received Date:	14 August 2012
Revised Date:	13 November 2012
Accepted Date:	19 November 2012



Please cite this article as: J. Zidar, M. Pavlin, I. Mihelič, P. Ogorelec, J. Plavec, J. Mavri, Stability and Reactivity of Progressively Methylolated Melamine Derivatives, *Computational & Theoretical Chemistry* (2012), doi: http://dx.doi.org/10.1016/j.comptc.2012.11.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Stability and Reactivity of Progressively Methylolated

Melamine Derivatives

Jernej Zidar^{a,b,c†}, Matic Pavlin^{b†}, Igor Mihelič^e, Primož Ogorelec^e, Janez Plavec^{b,c,d}, Janez

Mavri^{b,c}

^aInsitute of High Performance Computing, 1 Fusionopolis Way, #16-16 Connexis

North, SG-138632, Singapore

^bNational Institute of Chemistry, Hajdrihova 19, SI-1000 Ljubljana, Slovenia

^cEN-FIST Centre of Excellence, Dunajska 156, SI-1000 Ljubljana, Slovenia

^dFaculty of Chemistry and Chemical Technology, Aškerčeva 5, SI-1000 Ljubljana,

Slovenia

^eMelamin kemična tovarna d.d. Kočevje, Tomšičeva cesta 9, SI-1330 Kočevje,

Slovenia

[†]both authors contributed equally to this work

Corresponding author: Janez Mavri, National Institute of Chemistry, Hajdrihova 19, SI-1000 Ljubljana, Slovenia; email: <u>janez.mavri@ki.si</u>; phone: +386 1 4760 309; fax: +386 1 4760 300.

Abstract: Progressive methylolation of the melamine molecule represents the first phase in the production of melamine resins. Melamine methylolation consists of a cascade of chemical reactions between molecules of formaldehyde with the melamine or its partially methylolated derivative. We examined this cascade using *ab initio* calculations, a solvation model and have shown that during the progressive melamine methylolation products with more formaldehyde-substituted amino groups are preferentially formed. Moreover by finding the transition state for the first reaction in

Download English Version:

https://daneshyari.com/en/article/5394369

Download Persian Version:

https://daneshyari.com/article/5394369

Daneshyari.com