Accepted Manuscript



Design of a dielectric resonator receive array at 7 Tesla using detunable ceramic resonators

Thomas Ruytenberg, Andrew G. Webb

PII: S1090-7807(17)30239-2
DOI: https://doi.org/10.1016/j.jmr.2017.09.015
Reference: YJMRE 6171

To appear in: *Journal of Magnetic Resonance*

Received Date: 27 July 2017
Revised Date: 30 August 2017
Accepted Date: 30 September 2017

Please cite this article as: T. Ruytenberg, A.G. Webb, Design of a dielectric resonator receive array at 7 Tesla using detunable ceramic resonators, *Journal of Magnetic Resonance* (2017), doi: https://doi.org/10.1016/j.jmr.2017.09.015

Design of a dielectric resonator receive array at 7 Tesla using detunable ceramic resonators

Thomas Ruytenberg and Andrew G. Webb

C.J. Gorter Center for High Field MRI,

Department of Radiology, Leiden University Medical Center,

Albinusdreef 2, 2333 ZA, Leiden, The Netherlands

Keywords: High permittivity materials, dielectric resonators, detuning circuit, receive-only array

Running title: Detunable dielectric resonators

Word count: 2686

Figures: 5

References count: 18

Corresponding author: Andrew G. Webb; a.webb@lumc.nl