

Accepted Manuscript

Improving the sensitivity of conventional spin echo spectra by preservation of initial signal-to-noise ratio

Peyman Sakhaii, Wolfgang Bermel

PII: S1090-7807(14)00075-5


DOI: <http://dx.doi.org/10.1016/j.jmr.2014.02.024>

Reference: YJMRE 5401

To appear in: *Journal of Magnetic Resonance*

Received Date: 28 December 2013

Revised Date: 25 February 2014



Please cite this article as: P. Sakhaii, W. Bermel, Improving the sensitivity of conventional spin echo spectra by preservation of initial signal-to-noise ratio, *Journal of Magnetic Resonance* (2014), doi: <http://dx.doi.org/10.1016/j.jmr.2014.02.024>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Improving the sensitivity of conventional spin echo spectra by preservation of initial signal-to-noise ratio

Peyman Sakhaei

NMR Laboratory of SANOFI, C&BD (Chemistry & Biotechnology Development
Frankfurt Chemistry) Industriepark Hoechst, Building G849, D-65926 Frankfurt/Main,
Germany

E-mail: Peyman.Sakhaei@sanofi.com

Tel: +49 (0) 69 305 21875

Wolfgang Bermel

Bruker BioSpin GmbH, Silberstreifen, D-76287 Rheinstetten, Germany

E-mail: Wolfgang.Bermel@bruker-biospin.de

Tel: +49 (0) 721 5161 6119

Download English Version:

<https://daneshyari.com/en/article/5405410>

Download Persian Version:

<https://daneshyari.com/article/5405410>

[Daneshyari.com](https://daneshyari.com)