

Visible light activated degradation of organic pollutants using zinc-iron selenide

Ikram Ahmad, Sher Bahadar Khan, Tahseen Kamal, Abdullah M. Asiri

PII: S0167-7322(16)32690-3
DOI: doi:10.1016/j.molliq.2016.12.061
Reference: MOLLIQ 6744

To appear in: *Journal of Molecular Liquids*

Received date: 10 September 2016
Revised date: 12 December 2016
Accepted date: 16 December 2016

Please cite this article as: Ikram Ahmad, Sher Bahadar Khan, Tahseen Kamal, Abdullah M. Asiri, Visible light activated degradation of organic pollutants using zinc-iron selenide, *Journal of Molecular Liquids* (2016), doi:10.1016/j.molliq.2016.12.061

Visible light activated degradation of organic pollutants using zinc-iron selenide

Ikram Ahmad[a,b], Sher Bahadar Khan[a,b*], Tahseen Kamal[a,b], Abdullah M. Asiri[a,b]

[a]Center of Excellence for Advanced Materials Research (CEAMR), King Abdulaziz University, Jeddah, Saudi Arabia

[b]Chemistry Department, Faculty of Science, King Abdulaziz University, Jeddah 21589, Saudi Arabia

* Correspondence address**:** E-mail: sbkhan@kau.edu.sa