Accepted Manuscript

Determination of thermodynamic parameters from Langmuir isotherm constant-revisited

Partha S. Ghosal, Ashok K. Gupta

PII:	S0167-7322(16)32378-9
DOI:	doi: 10.1016/j.molliq.2016.11.058
Reference:	MOLLIQ 6605

To appear in: Journal of Molecular Liquids

Received date:22 August 2016Revised date:16 November 2016Accepted date:17 November 2016

iournal of MOLECULAR LIQUIDS

Please cite this article as: Partha S. Ghosal, Ashok K. Gupta, Determination of thermodynamic parameters from Langmuir isotherm constant-revisited, *Journal of Molecular Liquids* (2016), doi: 10.1016/j.molliq.2016.11.058

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Determination of thermodynamic parameters from Langmuir isotherm constant-Revisited

Partha S. Ghosal, Ashok K. Gupta*

Environmental Engineering Division, Department of Civil Engineering,

Indian Institute of Technology Kharagpur, 721 302, India

Email: psgkgp@gmail.com; agupta@civil.iitkgp.ernet.in

*Corresponding Author

Dr. Ashok K. Gupta

Professor

Environmental Engineering Division, Department of Civil Engineering,

Indian Institute of Technology Kharagpur, 721 302, India

Ph:+91-3222-283428; Fax:+91-3222-255303

E-mail: agupta@civil.iitkgp.ernet.in

List of abbreviations: ΔG^0 : Gibbs free surface energy change, ΔH^0 : Change in standard enthalpy, ΔS^0 : Change in standard entropy, q_e : Amount of adsorbate adsorbed per unit weight of adsorbent at equilibrium, C_e : Concentration of solute at equilibrium, q_{max} : Maximum monolayer adsorption capacity, b: Adsorption constant related to binding energy or affinity, R: Universal gas constant, T: Temperature, K_{eq} : Equilibrium constant, K_{aeq} : Apparent equilibrium constant, a_A : Activity of solute, θ_e : Fraction of surface covered at equilibrium, γ_e : Activity coefficient, C_r : Concentration of reference state, M_A : Molar weight of solute, Z: Charge of the ion, μ : Ionic strength of the solution. Download English Version:

https://daneshyari.com/en/article/5409214

Download Persian Version:

https://daneshyari.com/article/5409214

Daneshyari.com