

Accepted Manuscript

Microstructures, interactions and dynamics properties studies of aqueous guanidinium triflate ionic liquid from molecular dynamics simulations

Naimah Haron, Vannajan S. Lee, Nor A. Sairi, Sharifuddin M. Zain, Yatimah Alias, Mohamed K. Aroua

PII: S0167-7322(16)31287-9
DOI: doi: [10.1016/j.molliq.2016.12.016](https://doi.org/10.1016/j.molliq.2016.12.016)
Reference: MOLLIQ 6698

To appear in: *Journal of Molecular Liquids*

Received date: 23 May 2016
Revised date: 6 November 2016
Accepted date: 5 December 2016



Please cite this article as: Naimah Haron, Vannajan S. Lee, Nor A. Sairi, Sharifuddin M. Zain, Yatimah Alias, Mohamed K. Aroua, Microstructures, interactions and dynamics properties studies of aqueous guanidinium triflate ionic liquid from molecular dynamics simulations, *Journal of Molecular Liquids* (2016), doi: [10.1016/j.molliq.2016.12.016](https://doi.org/10.1016/j.molliq.2016.12.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Microstructures, Interactions and Dynamics Properties Studies of Aqueous Guanidinium Triflate Ionic Liquid from Molecular Dynamics Simulations

Naimah Haron^{†*}, Vannajan S. Lee[‡], Nor A. Sairi[‡], Sharifuddin M. Zain[‡], Yatimah Alias[‡],
Mohamed K. Aroua[§].

[†]Department of Chemistry, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia.

[§]Department of Chemical Engineering, Faculty of Engineering, University of Malaya, 50603 Kuala Lumpur, Malaysia

Abstract

In order to understand the phase equilibrium behavior of aqueous ionic liquids (ILs) guanidinium triflate [gua][OTf] solution (binary solvent) at 7 different molar fractions of water ranged from 0.1 to 0.7 at 440.15 K classical molecular dynamic simulations were performed. The simulations measured changes in different properties such as density, structural, bonding properties (radial distribution function, water clustering and hydrogen bonding) and dynamic property (diffusion coefficient). The analysis of radial distribution and spatial distribution functions revealed a significant long-range structural correlation between IL and water. Water molecules intercalated in the coordination shell of both ions, thus

Download English Version:

<https://daneshyari.com/en/article/5409462>

Download Persian Version:

<https://daneshyari.com/article/5409462>

[Daneshyari.com](https://daneshyari.com)