Accepted Manuscript

Hydrogen scattering from a cesiated surface model

Maria Rutigliano, Amedeo Palma, Nico Sanna

 PII:
 S0039-6028(17)30310-2

 DOI:
 10.1016/j.susc.2017.06.014

 Reference:
 SUSC 21054

To appear in: Surface Science

Received date:27 April 2017Revised date:13 June 2017Accepted date:19 June 2017



Please cite this article as: Maria Rutigliano , Amedeo Palma , Nico Sanna , Hydrogen scattering from a cesiated surface model, *Surface Science* (2017), doi: 10.1016/j.susc.2017.06.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The work function of a Cesiated Surface Model is evaluated
- Interaction Potential for H interacting on the surface is determined
- H atoms are backscattered in the interaction with Cs atoms
- The backscattering is in a near specular direction

Ċ

Download English Version:

https://daneshyari.com/en/article/5421129

Download Persian Version:

https://daneshyari.com/article/5421129

Daneshyari.com