

Author's Accepted Manuscript

Effect of two-step sintering on the hydrothermal ageing resistance of tetragonal zirconia polycrystals

U. Sutharsini



PII: S0272-8842(17)30410-8
DOI: <http://dx.doi.org/10.1016/j.ceramint.2017.03.052>
Reference: CER114821

To appear in: *Ceramics International*

Received date: 7 February 2017
Revised date: 4 March 2017
Accepted date: 8 March 2017

Cite this article as: U. Sutharsini, Effect of two-step sintering on the hydrothermal ageing resistance of tetragonal zirconia polycrystals, *Ceramics International*, <http://dx.doi.org/10.1016/j.ceramint.2017.03.052>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effect of two-step sintering on the hydrothermal ageing resistance of tetragonal zirconia polycrystals

U. Sutharsini¹, M. Thanihaichelvan¹, C.H. Ting², S. Ramesh^{2*}, C.Y. Tan², Hari Chandran³, Ahmed A.D. Sarhan⁴, S. Ramesh⁵, I. Urriés⁶

¹Department of Physics, University of Jaffna, Jaffna, JA 40000, Sri Lanka

²Centre of Advanced Manufacturing & Material Processing (AMMP), Department of Mechanical Engineering, Faculty of Engineering, University of Malaya, 50603 Kuala Lumpur, Malaysia

³Division of Neurosurgery, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia

⁴Mechanical Engineering Department, King Fahd University of Petroleum and Minerals, Dhahran 31261, Saudi Arabia

⁵Centre for Ionics University of Malaya, Department of Physics, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

⁶Escuela Universitaria Politécnica de La Almunia, Universidad de Zaragoza, Spain

*Corresponding author. ramesh79@um.edu.my

Abstract

The effects of two-step sintering (TSS) on the mechanical properties and hydrothermal ageing resistance of yttria-stabilized tetragonal zirconia polycrystals (Y-TZP) were investigated. In TSS, the first step involved heating the samples up to 1400 °C at a heating

Download English Version:

<https://daneshyari.com/en/article/5438540>

Download Persian Version:

<https://daneshyari.com/article/5438540>

[Daneshyari.com](https://daneshyari.com)