

Accepted Manuscript

Effects of temperature and stress ratio on fatigue life of injection molded short carbon fiber-reinforced polyamide composite

M. Kawai, H. Takeuchi, I. Taketa, A. Tsuchiya

PII: S1359-835X(17)30103-3

DOI: <http://dx.doi.org/10.1016/j.compositesa.2017.03.008>

Reference: JCOMA 4598

To appear in: *Composites: Part A*

Received Date: 30 October 2016

Revised Date: 29 January 2017

Accepted Date: 4 March 2017



Please cite this article as: Kawai, M., Takeuchi, H., Taketa, I., Tsuchiya, A., Effects of temperature and stress ratio on fatigue life of injection molded short carbon fiber-reinforced polyamide composite, *Composites: Part A* (2017), doi: <http://dx.doi.org/10.1016/j.compositesa.2017.03.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effects of temperature and stress ratio on fatigue life of injection molded short carbon fiber-reinforced polyamide composite

M. Kawai ^{1*}, H. Takeuchi ¹, I. Taketa ² and A. Tsuchiya ³

¹ University of Tsukuba, Department of Engineering Mechanics and Energy,
Tsukuba 305-8573, Japan
e-mail: mkawai@kz.tsukuba.ac.jp

² Toray Carbon Fibers Europe S.A., Route Départementale 817, 64170 Lacq, France
e-mail: ichiro.taketa@toray-cfe.com

³ Toray Industries, Inc., Composites Materials Research Laboratories,
9-1 Ohe-cho, Minato-ku, Nagoya, 455-8502 Aichi, Japan
e-mail: Atsuki_Tsuchiya@nts.toray.co.jp

* Corresponding author

Revised manuscript

Download English Version:

<https://daneshyari.com/en/article/5439527>

Download Persian Version:

<https://daneshyari.com/article/5439527>

[Daneshyari.com](https://daneshyari.com)