


## Author's Accepted Manuscript

Hierarchically Assembled Tubular Shell-Core-Shell Heterostructure of Hybrid Transition Metal Chalcogenides for High-Performance Supercapacitors with Ultrahigh Cyclability

Young-Woo Lee, Byung-Sung Kim, John Hong, Heechae Choi, Hyun-Sik Jang, Bo Hou, Sangyeon Pak, Juwon Lee, Sang-Hyo Lee, Stephen M. Morris, Dongmok Whang, Jin-Pyo Hong, Hyeon Suk Shin, SeungNam Cha, Jung Inn Sohn, Jong Min Kim



PII: S2211-2855(17)30277-X  
DOI: <http://dx.doi.org/10.1016/j.nanoen.2017.05.006>  
Reference: NANOEN1947

To appear in: *Nano Energy*

Received date: 7 March 2017  
Revised date: 28 April 2017  
Accepted date: 3 May 2017

Cite this article as: Young-Woo Lee, Byung-Sung Kim, John Hong, Heechae Choi, Hyun-Sik Jang, Bo Hou, Sangyeon Pak, Juwon Lee, Sang-Hyo Lee, Stephen M. Morris, Dongmok Whang, Jin-Pyo Hong, Hyeon Suk Shin, SeungNam Cha, Jung Inn Sohn and Jong Min Kim, Hierarchically Assembled Tubular Shell-Core-Shell Heterostructure of Hybrid Transition Metal Chalcogenides for High-Performance Supercapacitors with Ultrahigh Cyclability *Nano Energy*, <http://dx.doi.org/10.1016/j.nanoen.2017.05.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

# Hierarchically Assembled Tubular Shell-Core-Shell Heterostructure of Hybrid Transition Metal Chalcogenides for High-Performance Supercapacitors with Ultrahigh Cyclability

Young-Woo Lee<sup>a1</sup>, Byung-Sung Kim<sup>a1</sup>, John Hong<sup>a</sup>, Heechae Choi<sup>b</sup>, Hyun-Sik Jang<sup>c</sup>, Bo Hou<sup>a</sup>, Sangyeon Pak<sup>a</sup>, Juwon Lee<sup>a</sup>, Sang-Hyo Lee<sup>a</sup>, Stephen M. Morris<sup>a</sup>, Dongmok Whang<sup>c</sup>, Jin-Pyo Hong<sup>d</sup>, Hyeon Suk Shin<sup>e</sup>, SeungNam Cha<sup>a,\*</sup>, Jung Inn Sohn<sup>a,\*</sup>, Jong Min Kim<sup>f</sup>

<sup>a</sup> Department of Engineering Science, University of Oxford, Oxford OX1 3PJ, United Kingdom.

<sup>b</sup> Center for Computational Science, Korea Institute of Science and Technology, Seoul 02792, Republic of Korea.

<sup>c</sup> School of Advanced Materials Science and Engineering, SKKU Advanced Institute of Nanotechnology (SAINT), Sungkyunkwan University, Gyeonggi-Do 16419, Republic of Korea.

<sup>d</sup> Research Institute of Convergence of Basic Science, Novel Functional Materials and Device Laboratory, Department of Physics, Hanyang University, Seoul 15588, Republic of Korea.

<sup>e</sup> Department of Chemistry, Ulsan National Institute of Science and Technology (UNIST), Ulsan 44919, Republic of Korea.

<sup>f</sup> Electrical Engineering Division, Department of Engineering, University of Cambridge, Cambridge CB3 0FA, United Kingdom.

---

<sup>1</sup> These authors contributed equally to the work

Download English Version:

<https://daneshyari.com/en/article/5452312>

Download Persian Version:

<https://daneshyari.com/article/5452312>

[Daneshyari.com](https://daneshyari.com)