


Author's Accepted Manuscript

Over 10% Efficiency in Single-Junction Polymer Solar Cells Developed from Easily Accessible Random Terpolymers

Hye Jin Cho, Yu Jin Kim, Shanshan Chen, Jungho Lee, Tae Joo Shin, Chan Eon Park, Changduk Yang



PII: S2211-2855(17)30404-4
DOI: <http://dx.doi.org/10.1016/j.nanoen.2017.06.051>
Reference: NANOEN2057

To appear in: *Nano Energy*

Received date: 29 May 2017
Revised date: 28 June 2017
Accepted date: 30 June 2017

Cite this article as: Hye Jin Cho, Yu Jin Kim, Shanshan Chen, Jungho Lee, Tae Joo Shin, Chan Eon Park and Changduk Yang, Over 10% Efficiency in Single-Junction Polymer Solar Cells Developed from Easily Accessible Random Terpolymers, *Nano Energy*, <http://dx.doi.org/10.1016/j.nanoen.2017.06.051>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Over 10% Efficiency in Single-Junction Polymer Solar Cells Developed from Easily Accessible Random Terpolymers

Hye Jin Cho ^{a,1}, Yu Jin Kim ^{b,1}, Shanshan Chen ^a, Jungho Lee ^a, Tae Joo Shin ^{c,*}, Chan Eon Park ^{b,*}, Changduk Yang ^{a,*}

^aDepartment of Energy Engineering, School of Energy and Chemical Engineering, Low Dimensional Carbon Materials Center, Perovtronic Research Center, Ulsan National Institute of Science and Technology (UNIST), 50 UNIST-gil, Ulsu-gun, Ulsan 44919, Republic of Korea.

^bPOSTECH Organic Electronics Laboratory, Department of Chemical Engineering, Pohang University of Science and Technology (POSTECH), Pohang 790-784, Republic of Korea

^cUNIST Central Research Facilities & School of Natural Science, Ulsan National Institute of Science and Technology (UNIST), Ulsan 44919, Republic of Korea

tjshin@unist.ac.kr

cep@postech.ac.kr

yang@unist.ac.kr

Abstract

Despite the numerous random polymers recently developed for polymer solar cells (PSCs), very limited attention has been directed toward controlling the ratio of widely used thiophene (T) to bithiophene (2T) chromophores in their backbones. Herein, we developed a new family of thieno[2',3':5',6']pyrido[3,4-g]thieno[3,2-c]isoquinoline-5,11(4*H*,10*H*)-dione-based random terpolymers containing different T and 2T compositions. In-depth structure–property investigations covering physical properties, morphology, and PSC performance with respect to T:2T in the polymers were performed by several structural characterization techniques. Over a range of compositions, these random terpolymers provide impressive fill factor (FF)

Download English Version:

<https://daneshyari.com/en/article/5452362>

Download Persian Version:

<https://daneshyari.com/article/5452362>

[Daneshyari.com](https://daneshyari.com)