
Author's Accepted Manuscript

Use of an intermediate solid-state electrode to enable efficient hydrogen production from dilute organic matter

Desheng Kong, Xing Xie, Zhiyi Lu, Meng Ye, Zhenda Lu, Jie Zhao, Craig S. Criddle, Yi Cui



 PII:
 S2211-2855(17)30438-X

 DOI:
 http://dx.doi.org/10.1016/j.nanoen.2017.07.024

 Reference:
 NANOEN2082

To appear in: Nano Energy

Received date: 6 May 2017 Revised date: 3 July 2017 Accepted date: 15 July 2017

Cite this article as: Desheng Kong, Xing Xie, Zhiyi Lu, Meng Ye, Zhenda Lu Jie Zhao, Craig S. Criddle and Yi Cui, Use of an intermediate solid-state electrode to enable efficient hydrogen production from dilute organic matter *Nano Energy*, http://dx.doi.org/10.1016/j.nanoen.2017.07.024

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Use of an intermediate solid-state electrode to enable efficient hydrogen production from dilute organic matter

Desheng Kong^{a,b1}, Xing Xie^{c,d1}, Zhiyi Lu^a, Meng Ye^c, Zhenda Lu^a, Jie Zhao^a, Craig S. Criddle^{c*}, Yi Cui^{a,e*}

^aDepartment of Materials Science and Engineering, Stanford University, Stanford, California 94305, USA

^bNational Laboratory of Solid State Microstructure, College of Engineering and Applied

Sciences, and Collaborative Innovation Centre of Advanced Microstructures, Nanjing

University, Nanjing 210093, China

^cDepartment of Civil and Environmental Engineering, Stanford University, Stanford,

California 94305, USA

^dSchool of Civil and Environmental Engineering, Georgia Institute of Technology, Atlanta,

Georgia 30332, USA

^eStanford Institute for Materials and Energy Sciences, SLAC National Accelerator Laboratory,

2575 Sand Hill Road, Menlo Park, California 94025, USA

ccriddle@stanford.edu

yicui@stanford.edu

*Corresponding author.

ABSTRACT

Molecular hydrogen, a valuable clean energy fuel and industrial feedstock, is commonly produced by steam reforming of fossil fuels, a process that results in the

¹ These authors contributed equally to this work.

Download English Version:

https://daneshyari.com/en/article/5452407

Download Persian Version:

https://daneshyari.com/article/5452407

Daneshyari.com