

Author's Accepted Manuscript

A high-energy, long cycle-life hybrid supercapacitor based on graphene composite electrodes

Bote Zhao, Dongchang Chen, Xunhui Xiong, Bo Song, Renzong Hu, Qiaobao Zhang, Benjamin H. Rainwater, Gordon H. Waller, Dongxing Zhen, Yong Ding, Yu Chen, Chong Qu, Dai Dang, Ching-Ping Wong, Meilin Liu



www.elsevier.com/locate/ensm

PII: S2405-8297(16)30268-9
DOI: <http://dx.doi.org/10.1016/j.ensm.2016.11.010>
Reference: ENSM107

To appear in: *Energy Storage Materials*

Received date: 25 September 2016
Revised date: 29 November 2016
Accepted date: 30 November 2016

Cite this article as: Bote Zhao, Dongchang Chen, Xunhui Xiong, Bo Song, Renzong Hu, Qiaobao Zhang, Benjamin H. Rainwater, Gordon H. Waller, Dongxing Zhen, Yong Ding, Yu Chen, Chong Qu, Dai Dang, Ching-Ping Wong and Meilin Liu, A high-energy, long cycle-life hybrid supercapacitor based on graphene composite electrodes, *Energy Storage Materials* <http://dx.doi.org/10.1016/j.ensm.2016.11.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A high-energy, long cycle-life hybrid supercapacitor based on graphene composite electrodes

Bote Zhao, Dongchang Chen, Xunhui Xiong, Bo Song, Renzong Hu, Qiaobao Zhang, Benjamin H. Rainwater, Gordon H. Waller, Dongxing Zhen, Yong Ding, Yu Chen, Chong Qu, Dai Dang, Ching-Ping Wong, Meilin Liu*

School of Materials Science and Engineering, Georgia Institute of Technology, Atlanta, Georgia
30332-0245, United States.

***Corresponding Author. meilin.liu@mse.gatech.edu**

ABSTRACT

The energy density of a hybrid supercapacitor consisting of a battery-type electrode and a capacitive electrode could be significantly higher than that of an electrical double-layer capacitor (EDLC) due to the broadened voltage window and the high capacity of the battery-type

Download English Version:

<https://daneshyari.com/en/article/5453690>

Download Persian Version:

<https://daneshyari.com/article/5453690>

[Daneshyari.com](https://daneshyari.com)